



HARZ Labs Dental Resin

Material safety data sheet (MSDS) according to Regulation (EC) No 1907/2006 (REACH) Version 1.3 / EN 26 November 2018





CONTENT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	3
SECTION 2: HAZARDS IDENTIFICATION	3
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	4
SECTION 4: FIRST AID MEASURES	4
SECTION 5: FIREFIGHTING MEASURES	5
SECTION 6: ACCIDENTAL RELEASE MEASURES	6
SECTION 7: HANDLING AND STORAGE	6
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	7
SECTION 10: STABILITY AND REACTIVITY	
SECTION 11: TOXICOLOGICAL INFORMATION	
SECTION 12: ECOLOGICAL INFORMATION	10
SECTION 13: DISPOSAL CONSIDERATIONS	
SECTION 14: TRANSPORT INFORMATION	11
SECTION 15: REGULATORY INFORMATION	11
SECTION 16: ADDITIONAL INFORMATION	12



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier ne

Product	Nar
CAS #	

HARZ Labs "Dental Resin" Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Resin for printing tough dental 3D models on stereolithographic 3D printers. NOT FOR INTRAORAL USE!

1.3 Details of the supplier of the safety data sheet

Company Name	HARZ Labs LLC.
Company Address	Ulitsa Tvardovskogo, 8 b.1, Moscow, 123458
Contact Name	Adamov Andrey Vladimirovich
Phone / Fax	+74952910200
Email	info@harzlabs.ru

1.4 Emergency telephone number

+74952910200

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substa	ance or mixture
Classification according to	Skin sensitization, category 1B
Regulation (EC) No	Chemical products with chronic aquatic toxicity, class 2
1272/2008	

2.2 Label elements Hazard pictograms

> Signal word Hazard statements

Precautionary statements



Carefully H317: May cause an allergic skin reaction H411: This is toxic to aquatic organisms with long-term effects P261: Avoid breathing dust/fume/gas/mist/vapours/ substances in an atomized state P272: Do not remove contaminated clothing from the workplace P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye / face protection P302 + P352: If on skin: Wash with plenty of soap and water



	P333 + P313: if skin irritation or rash occurs, seek medical advice
	P321: Application of special measures (see label information) P363: Wash contaminated clothing before use P391: collect spillage P501: Dispose of contents in accordance with Federal regulations
2.3 Other hazards	
	Product does not contain any PBT or vPvB substances

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures CAS No Substance name EC No Classification Concentration GHS07 GHS09 Urethane methacrylate 50-70% ** Warning _ oligomer* Skin Sens. 1B; H317 Aquatic Chronic 2; H411 GHS07 Polyethyleneglycol 30-50% ** Warning _ dimethacrylate* Skin Sens. 1B; H317 GHS07 Warning 2-hydroxypropyl methacrylate 1-5% ** 213-090-3 923-26-2 Eye Irrit. 2; H319 Skin Sens. 1B; H317 GHS09 Diphenyl (2,4,6-trimethylbenzoyl) Warning 1-3% ** 278-355-8 75980-60-8 phosphine oxide Aquatic Acute 4; H413, Skin Sens. 1; H317

* The exact name of the components, CAS number, EC number are not provided, as they are a trade secret of the manufacturer (supplier).

** The exact percentage of the components is not provided, as it is a trade secret of the manufacturer (supplier).

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information Get medical attention if required.



Inhalation	Remove victim to fresh air and keep at rest in a comfortable for breathing. Do not block the access of air. Loosen tightly
	fitting pieces of clothing, such as a collar, tie, belt, or
	waistband. If breathing is difficult, breathing, qualified
	personnel should give oxygen. In case of respiratory arrest,
	use artificial respiration and seek medical advice immediately.
Skin contact	Change contaminated clothing. After contact with skin, wash
	with plenty of water and soap for 10 minutes. If skin irritation
	or rash occurs get medical help.
Eye contact	Rinse your eyes, flush eyes with plenty of water for 15
	minutes in a well open eye slit. Remove contact lenses if you
	use them and if it is easy to do. Continue rinsing eyes. If
	irritation persists, consult your doctor.
Ingestion	Rinse your mouth, drink 1.5-2 cups of warm water with
	activated charcoal, saline laxative. Do not induce vomiting
	unless required to do so by medical personnel. In case of
	spontaneous vomiting, keep head below hips to prevent
	breathing vomit into the lungs. To seek medical help. Do not
	induce vomiting in an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Not installed
Skin contact	May cause an allergic skin reaction. Side effects in case of
	prolonged contact: redness, irritation, rash.
Eye contact	Not installed.
Ingestion	Not installed.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically. If the products of decay during
	combustion got into the respiratory system, symptoms may
	occur later. The victim may need medical supervision within
	48 hours/
Specific treatments	No specific treatment.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing mediaUse carbon dioxide, powder, foam, fine water.Unsuitable extinguishingDo not use direct water jets.mediaDo not use direct water jets.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion	Fire and explosion proof.
products	



5.3 Advice for fire-fighters

Special protective actions for fire-fighters	During a fire, promptly isolate the scene by removing all persons from the vicinity of. Use normal fire fighting procedures not forgetting about the danger that can come from other materials. For cooling of the closed containers which are in the fire center, to use the sprayed water. Hold
	on to the windward side. Collect contaminated fire fighting water separately. It is unacceptable to enter the sewer system
Special protective equipment for fire-fighters	In case of fire it is necessary to wear a self-contained breathing apparatus (SCBA) and a full set of protective clothing that meets the standard EN 469.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protect For non-emergency personnel	tive equipment and emergency procedures Forms a slippery surface at spill. Clean up leaks immediately to prevent falling on slippery surfaces. To eliminate sources of sparks and flames. Avoid contact.
For emergency responders	Use proper PPE as indicated in Section 8.
6.2 Environmental precautions Environmental precautions	Do not allow to enter waste water, groundwater. Inform the relevant organizations in case of damage to the environment.
6.3 Methods and materials for co Methods for cleaning up	ontainment and cleaning up Absorb with vermiculite or other inert absorbent materials. Send for disposal (see Section 13). Spill area, wash with

warm water using chemical cleaners.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	
Protective measures	If necessary, use personal protective equipment (see
	Section 8). Do not eat, drink or smoke during use of
	product. Wash hands before breaks and after work

7.2 Conditions for safe storage, including any incompatibilities



Technical measures and storage conditions Packaging materials	Store in the closed original container in a cool, dry well- ventilated place away from incompatible materials, direct sunlight, sources of ignition and heat. Metal or plastic container
7.3 Specific end uses Recommendations	Use only for its intended purpose in accordance with the instructions for use and/or packing instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Exposure limit values	No components with occupational exposure limits.
8.2 Exposure controls	
Appropriate Engineering Measures	Facilities must be provided by a system of local and General ventilation. Work with the product in a well-ventilated area. Normal precautions should be taken when handling chemicals.
Individual protection	
measures, such as personal	
protective equipment	
Eye and face protection	It is recommended to use safety goggles according to EN 166 in case of risk of splashing.
Skin protection	Protective rubber or neoprene gloves according to EU 89/686/EEC and standard EN 374.
Body Protection	Working protective clothing with long sleeves.
Respiratory protection	Not required in the presence of good ventilation. When working with the product for a long time at elevated temperatures, it is recommended to use full face masks equipped with combined filters or filters of ABEK (EN 14387).
Environmental exposure	
controls	Do not empty into drains
Hygiene Measures	To maintain the work place clean. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of the working day. Take off contaminated clothing and wash before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Physical State Liquid



Colour Odour pH Melting point/Freezing point Initial boiling point/boiling	Transparent or opaque liquid, depending on the color Not odour No data available No data available
range	No data available
Flash point	>100°C
Evaporation rate	No data available
Flammability Limits	No data available
Explosive limits	No data available
Vapour pressure	No data available
Vapour density	Not applicable
Relative Density	1.0 – 1.2 g/ml
Solubility(ies)	Insoluble
Partition coefficient	
Octanol/Water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity @20±2°C	800-1000 mPa*s
Explosive properties	Non-explosive
Oxidizing Properties	No
Possibility of hazardous	
reactions	Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	
		There are no hazardous reactions in compliance with the requirements/instructions for storage and use
10.2	Chemical stability	
		Product is stable, if the regulations/notes for storage and handling
10.3	Possibility of hazardous	s reactions
		None under normal processing
10.4	Conditions to avoid	Exposure to open fire and high temperatures direct
		Exposure to open fire and high temperatures, direct sunlight and water. It is polymerized under the influence
		of white light, ultraviolet radiation and when heated
10.5	Incompatible materials	



Strong acids (including inorganic), alkalis, peroxides, amines, organic sulfur compounds, heavy metals, oxidizing agents, reducing agents, bases, alcohols, initiators of radical polymerization

10.6 Hazardous decomposition products

In the case of compliance with the regulations/notes for storage and use, hazardous decomposition products are not highlighted. In case of fire: see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No acute toxicity - based on component data:

Substance name	EC №	CAS №	Test
Urethane methacrylate oligomer*	-	-	If swallowed: LD50>5000 mg / kg (rats) If inhaled: Not applicable. In case of skin contact: LD50>2000 mg / kg (rats)
Polyethyleneglycol dimethacrylate*	-	-	If swallowed: LD50=8300 mg / kg (rats) If inhaled: LCLo>1 mg / I (rats, 6 h) In case of skin contact: LD50>2000 mg / kg (rats)
2-hydroxypropyl methacrylate	213-090-3	923-26-2	If swallowed: LD50>5000 mg / kg (rats) If inhaled: No data available. In case of skin contact: LD50>5000 mg / kg (rats)
Diphenyl (2,4,6- trimethylbenzoyl) phosphine oxide	278-355-8	75980-60-8	If swallowed: LD50>2500 mg / kg (rats) If inhaled: LC50>1 mg / I (rats, 4 h) In case of skin contact: LD50>2000 mg / kg (rats)
Skin corrosion/irritation	on	Not irritating	
Serious eye damage/e	eye irritation		
Respiratory or skip se		Not irritating	llergic skin reaction

Respiratory or skin sensitisation Germ cell mutagenicity Not irritating May cause an allergic skin reaction Not classified



Carcinogenicity Reproductive toxicity STOT - SE STOT - RE Aspiration hazard IARC, NTP, OSHA, ACGIH: Not listed by IARC Not classified Not classified Not classified No data available

SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
 - Aquatic toxicity

Acute toxicity for aquatic organisms is missing, has chronic toxicity for algae and cyanobacteria – based on data on the components

Substance name	EC №	CAS №	Toxicity to fish	Toxicity to invertebrates	Toxicity to algae and cyanobacteria	Toxicity to microorganisms
Urethane methacrylate oligomer*	-	-	Danio rerio LC50 (96h) =10,1 mg/l	Daphnia magna EC50 (48h) >1,2 mg/l	Desmodesmus subspicatus ErC50 (72h) =0,68 мг/л NOErC(72h) =0,21 мг/л	NOEC (14d) ≥36,1 mg/l
Polyethyleneglycol dimethacrylate*	-	-	Danio rerio LC50 (96h) =15,95 mg/l	Daphnia magna EC50 (48h) =44.9 mg/l	Pseudokirchne riella subcapitata EC50 (724) =17,3 mg/l	Pseudomonas putida EC50 (3h) =570 mg/l
2-hydroxypropyl methacrylate	213-090-3	923-26-2	Oryzias latipes LC50 (96h) >100 mg/l	Daphnia magna EC50 (48h) >380 mg/l	Selenastrum capricornutum EC50 (72ч) =836 мг/л	-
Diphenyl (2,4,6- trimethylbenzoyl) phosphine oxide	278-355-8	75980- 60-8	Danio rerio LC50 (96h) =24 mg/l	Daphnia magna EC50 (48h) =53.9 mg/l	Desmodesmus subspicatus EC50 (72h) =17,3 mg/l NOEC(72h) =0,7 mg/l	Activated sludge EC50 (3h) >100 mg/l

12.2 Persistence and Degradability Biodegradation No data available

- 12.3Bioaccumulative potentialBioaccumulative potentialNo data availablePartition coefficientIt has low mobility in the soil
- 12.4 Mobility in soil Mobility

Is not likely mobile in the environment due its low water solubility



12.5	Results of PBT and vPvB	assessment
		This product does not contain any PBT or vPvB substances
12.6	Other adverse effects	
		No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment meth	nods
Prod	luct / Packaging disposal	For utilization it is necessary to contact the relevant
		company. Otherwise, disposal is carried out in accordance
		with Federal environmental regulations
Cont	aminated packaging	Dispose of the package as well as the contents

SECTION 14: TRANSPORT INFORMATION

ADR/RID Not regulated IMDG/IMO Not regulated ICAO/IATA Not regulated ADN Not regulated

SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the
substa	ance or mixture

EU regulations	EU Regulation (EC) No 1907/2006 (REACH)		
	EU Regulation (EC) No 1272/2008 (CLP)		
Other EU regulations	 Directive 89/686/EEC: personal protective equipment. ISO EN 374-1:2016: Gloves that protect against chemicals and microorganisms. Part 1. Terminology and requirements for gloves for protection against chemicals. EN 166: 2002: personal eye protection. General technical requirements. EN 469: 2005: protective clothing for firefighters. Requirements for protective clothing for firefighters. EN 14387:2004+A1:2008: means of individual protection of respiratory organs. The gas filters and combined. General technical requirements. Test method. Marking 		

15.2 Chemical Safety Assessment



No data available

SECTION 16: ADDITIONAL INFORMATION

16.1 complete list of H-phrases

H317: May cause an allergic skin reactionH319: Causes serious eye irritationH402: Harmful to aquatic lifeH411: Toxic to aquatic organisms with long-termeffects

16.2 Abbreviations and acronyms

CAS: Chemical Abstracts Service (division of the American Chemical Society) EC: European Community number ACGIH: American Conference of Governmental Industrial Hygienists NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration IARC: International Agency for Research on Cancer NTP: National Toxicology Program vPvB: Very persistente and very bioaccumulative PBT: Polybutylene Terephthalate PPE: Personal protective equipment SCBA: Self-contained breathing apparatus EL50: 50% Effect Loading LC50: Median lethal concentration LD50: Median lethal dose LL50: 50% Lethal Loading NOEC: No Observable Effect Level bw: body weight STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure ADR/RID: Accord Dangereuses Route/International Carriage of Dangerous Goods by Rail IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organisation ICAO/IATA: International Civil Aviation Organization/International Air Transport Association ADN: International Carriage of Dangerous Goods by Inland Waterways



16.3 Training advice

Read the safety data sheet before using the product

16.4 Further information

Date of issue: 26.11.2018 Version no. 1.3

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall OOO «XAPL Ja6c»(HARZ Labs LLC) be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if OOO «XAPL Ja6c»(HARZ Labs LLC) has been advised of the possibility of such damages.